

Summary of colour code for buried plastic piping


(see Irish Standard 370:2016 – Colour code for buried plastic piping).

WARNING: This code applies to new installations. All users should be aware that a high proportion of existing underground services are in ducts and pipes which do not conform to the colour requirements set out in I.S. 370:2016.



Public lighting

(and control cables operating at 125 volts and above)




Red



Storm and Road drain

(Smooth external wall duct, corrugated)



Black




Telecom/Fibre optic

(smooth external wall duct)



Green



OR
Grey



OR
Any colour except red, yellow or orange



Telecom/Fibre optic

(corrugated duct only – maximum pipe outside diameter 175 mm)



Any colour except red, yellow or orange



Street furniture

(signal below 125 volt)



Orange



Gas



Yellow with black stripes
OR



Yellow with brown stripes
OR




Yellow with green stripes
OR



Yellow with blue stripes
OR



Yellow with red stripes
OR



Yellow
OR



Black with yellow stripes
OR




Orange
OR



Black with orange stripes



Electricity



Red



Sewer



Black
OR




Brown
OR



Black with brown stripes



Potable water



Black
OR



Blue
OR



Blue with brown stripes
OR



Black with blue stripes
OR

Black or blue with coloured stripes (excluding yellow and orange)